Author Index to Volume 19

ABOU-SAMRA, A.B., PUGEAT, M., DECHAUD, H., NACHURY, L., BOUCHAREB, B., FEVRE-MONTANGE, M. and TOURNIAIRE, J. Increased plasma concentration of N-terminal β -lipotrophin and unbound cortisol during pregnancy, 221

ÅKERSTROM, G. see Muhr, C. et al.

ALLGROVE, J., CHAYEN, J., JAYAWEERA, P. and O'RIORDAN, J.L.H. An investigation of the biological activity of parathyroid hormone in pseudohypoparathyroidism: comparison with vitamin D deficiency, 503

AMICO, J.A., CORDER, C.N., McDONALD, R.H., JR, and ROBINSON, A.G. Levels of the oxytocin-associated and vasopressin-associated neurophysins in plasma and their responses in essential hypertension. 289

ANDERSON, A.J. see Spruce, B.A. et al.

BAIRD, D.T. see Djahanbakhch, O. et al.

BALÁZS, C.S., STENSZKY, V., KOZMA, L. and FARID, N.R. Specific suppressor T cell function in a patient with Graves' disease and her healthy identical twin, 683

BAN, Y. see Momotani, N. et al.

BARRECA, T., PERRIA, C., FRANCESCHINI, R., SIANI, C., MESSINA, V., FRANCAVIGLIA, N. and ROLANDI, E. Diurnal prolactin changes in human cerebrospinal fluid, 649

BEASTALL, G.H. see Cohen, H.N. et al.

BEIERWALTES, W.H. see Shapiro, B. et al.

BELLASTELLA, A., CRISCUOLO, T., MANGO, A., PER-RONE, L., SINISI, A.A. and FAGGIANO, M. Circannual rhythms of plasma growth hormone, thyrotrophin and thyroid hormones in prepuberty, 531

BENEVENTI, F. see Melis, G.B. et al. BENGTSSON, C. see Nyström, E. et al.

BEN-ZEEV, Z. see Kauli, R. et al.

BERANEK, P.A., FOLKERD, E.J., GILCHIK, M.W. and JAMES, V.H.T. 17β-hydroxysteroid dehydrogenase and aromatase activity in breast fat from women with benign and malignant breast tumours, 205

BERGSTRÖM, K. see Muhr, C. et al.

BESSER, G.M. see Lytras, N. et al.

BHASIN, S., HEBER, D., STEINER, B., PETLESON, M., BLAISCH, B., CAMPFIELD, L.A. and SWERDLOFF, R.S. Hormonal effects of GnRH agonist in the human male: II. Testosterone enhances gonadotrophin suppression induced by GnRH agonist, 119

BJERRE, P. see Kehlet, H. et al.
BLAISCH, B. see Bhasin, S. et al.
BLOOM, S.R. see Lytras, N. et al.
BODANSKY, H.J. see Drury, P.L. et al.
BORRELLI, P. see Fraioli, F. et al.
BOUCHAREB, B. see Abou-Samra, A.B. et al.
BOUKIS, M. see Livadas, D.P. et al.
BOURDOUX, P. see Vanderpas, J. et al.
BOURNE, G.L. see Newnham, J.P. et al.

CAMPFIELD, L.A. see Bhasin, S. et al.
CAPPA, M. see Fraioli, F. et al.
CARROLL, S.M. see Frayn, K.N. et al.
CAUFRIEZ, A., GOLSTEIN, J., LEBRUN, P., HER-CHUELZ, A., FURLANETTO, R. and COPINSCHI, G.
Relations between immunoreactive somatome-

CHUELZ, A., FURLANETTO, R. and COPINSCHI, G. Relations between immunoreactive somatomedin-C, insulin and T3 patterns during fasting in obese subjects, 65

CAVALIERE, H. see Medeiros-Neto, G.A. et al.

CHAHAL, P. see Sharp, P.S. et al.

CHAPMAN, C. see El Sheikh, M.A.A. et al.

CHAYEN, J. see Allgrove, J. et al.

COCHAUX, P. see Demeester-Mirkine, N. et al.

COHEN, H.N., PATERSON, K.R., WALLACE, A.M., BEASTALL, G.H., MANDERSON, W.G. and MAC-CUISH, A.C. Dissociation of adrenarche and gonadarche in diabetes mellitus, 717

CONSTANTOULAKIS, M. see Phenekos, C. et al.

COOK, D.B. see Spruce, B.A. et al. COPINSCHI, G. see Caufriez, A. et al.

CORDER, C.N. see Amico, J.A. et al.

Coy, D.H. see Lytras, N. et al

CRAFT, W.H. and UNDERWOOD, L.E. Effect of androgens on plasma somatomedin-C/insulinlike growth factor I responses to growth hormone. 549

CREAGH, F. see Southgate, K. et al.

CRISCUOLO, T. see Bellastella, A. et al.

CROUGHS, R.J.M. see Nortier, J.W.R. et al.

CUMMING, D.C., REID, R.L., QUIGLEY, M.E., REBAR, R.W. and YEN, S.S.C. Evidence for decreased endogenous dopamine and opioid inhibitory influences on LH secretion in polycystic ovary syndrome, 643

DALEY, M.A. see Slovik, D.M. et al.

DAMBACHER, M.A. see Tobler, P.H. et al.

DAMBACHER, M.A. See Tobler, P.H. et al.

DANA-HAERI, J., OXLEY, J. and RICHENS, A. Pituitary responsiveness to gonadotrophin-releasing and thyrotrophin-releasing hormones in epileptic patients receiving carbamazepine or phenytoin, 163

DAVIDAI, G., KAHANA, L. and HOCHBERG, Z. Glomerulosa failure in congenital adrenocortical unresponsiveness to ACTH, 515

DAVIES, I. see Kirkland, J. et al.

DAVIS, J.R.E., SELBY, C. and JEFFCOATE, W.J. Oral contraceptives do not affect serum prolactin in normal women, 427

De Bruin, T.W.A., Van Der Heide, D. and Querido, A. Direct and quantitative measurement by immunoprecipitation assay of anti-thyrotrophin receptor antibodies in sera of patients with Graves' disease, 143

DECHAUD, H. see Abou-Samra, A.B. et al.

DELANGE, F. see Vanderpas, J. et al.

DEMESTER-MIRKINE, N., VAN SANDE, J., DOR, P., HEIMANN, R., COCHAUX, P. and DUMONT, J.E. Iodide organification defect in a cold thyroid nodule: absence of iodide effect on cyclic AMP accumulation, 473

DENNETT, P.M. see Newnham, J.P. et al.

DETSI, S. see Phenekos, C. et al.

DJAHANBAKHCH, O., McNeilly, A.S., WARNER, P.M., SWANSTON, I.A. and BAIRD, D.T. Changes in plasma levels of prolactins in relation to those of FSH, oestradiol, androstenedione, and progesterone around the preovulatory surge of LH in women, 463

DJAHANBAKHCH, O., WARNER, P., McNeilly, A.S. and Baird, D.T. Pulsatile release of LH and oestradiol during the periovulatory period in women. 579

Dor, P. see Demeester-Mirkine, N. et al.

DRAMAIX, M. see Vanderpas, J. et al.

DRURY, P.L., BODANSKY, H.J., ODDIE, C.J. and EDWARDS, C.R.W. Factors in the control of plasma renin activity and concentration in Type 1 (insulin-dependent) diabetes, 606

DUMONT, J.E. see Demeester-Mirkine, N. et al.

DUNLOP, W. see Spruce, B.A. et al.

DYAS, J. see Evans, P.J. et al.

EDWARDS, C.R.W. see Drury, P.L. et al., also Feek, C.M. et al.

EL-ANDERE, W. see Wajchenberg, B.L. et al.

EL SHEIKH, M.A.A., MOLLOY, B.G., CHAPMAN, C., OAKEY, R.E., HANCOCK, K.W. and GLASS, M.R. Cycle initiation in amenorrhoea; the effect of progesterone and oestrogen administration on the pulsatile release of gonadotrophins, 9

ENOKSSON, P. see Muhr, C. et al.

ERMANS, A.M. see Vanderpas, J. et al.

Evans, B.A.J., Jones, T.R. and Hughes, I.A. Studies of the androgen receptor in dispersed

fibroblasts: investigation of patients with androgen insensitivity, 93

EVANS, P.J., PETERS, J.R., DYAS, J., WALKER, R.F., RIAD-FAHMY, D. and HALL, R. Salivary cortisol levels in true and apparent hypercortisolism, 709 EVANS, P.J. see Jones, M.K. et al.

FABBRI, A. see Fraioli, F. et al.

FAGGIANO, M. see Bellastella, A. et al.

FALCH, D. see Opstad, P.K. et al.

FARID, N.R., see Balász, Cŝ. et al. FARISH, E. see Leggate, J. et al.

FEEK, C.M., McLELLAND, J., SETH, J., TOFT, A.D., IRVINE, W.J., PADFIELD, P.L. and EDWARDS, C.R.W. How effective is external pituitary irradiation for growth hormone-secreting pituitary tumours? 401

FERRON, S.A., see Newnham, J.P. et al.

FEVRE-MONTANGE, M. see Abou-Samra, A.B. et al.

FIORETTI, P. see Melis, G.B. et al.

FIREMAN, P. see Sobel, D.O. et al.

FISCHER, J.A. see Tobler, P.H. et al.

FISCHER, M., VETTER, W., WINTERBERG, B., HENGSTMANN, J., ZIDEK, W., FRIEMANN, J. and VETTER, H. Scintigraphic localization of phaeochromocytomas, 1

FLETCHER, C.D. see Leggate, J. et al. FOLEY, K. see Sharp, P.S. et al.

FOLKERD, E.J. see Beranek, P.A. et al.

FONNUM, F. see Opstad, P.K. et al.

Fowles, A. see Hardisty, C.A. et al.

FRAIOLI, F., CAPPA, M., FABBRI, A., GNESSI, L., MORETTI, C., BORRELLI, P. and ISIDORI, A. Lack of endogenous opioid inhibitory tone on LH secretion in early puberty, 299

FRANCAVIGLIA, N. see Barreca, T. et al. FRANCESCHINI, R. see Barreca, T. et al.

Franklyn, J.A., Sheppard, M.C., Ramsden, D.B. and Hoffenberg, R. Measurement of free thyroxine and free triiodothyronine in asymptomatic subjects with high concentrations of serum TSH and a history of radioidine therapy, 527

FRANKLYN, J.A., SHEPPARD, M.C., RAMSDEN, D.B., WILKINSON, R. and HOFFENBERG, R. Measurement of free thyroxine and free triiodothyronine in thyrotoxicosis and hypothyroidism, 107

FRAYN, K.N., PRICE, D.A., MAYCOCK, P.F. and CARROLL, S.M. Plasma somatomedin activity after injury in man and its relationship to other hormonal and metabolic changes, 179

FRIEMANN, J. see Fischer, M. et al. FRUZZETTI, F. see Melis, G.B. et al.

FRY, D.E. and GRIFFITHS, H. The inhibition by etomidate of the 11β-hydroxylation of cortisol, 625

FURLANETTO, R. see Caufriez, A. et al.

- Gebel, F. and Studer, H. Malignant follicles of a differentiated carcinoma releasing iodinated thyroglobulin into the lymphatic vessels, 457
- GHAVIMI, F. see Grieg, F. et al.
- GHILCHIK, M.W. see Beranek, P.A. et al.
- GLASIER, A., McNeilly, A.S. and Howie, P.W.Pulsatile secretion of LH in relation to the resumption of ovarian activity post partum, 415
- GLASS, M.R. see El Sheikh, M.A.A. et al.
- GNESSI, L. see Fraioli, F. et al.
- GODDARD, C. see Kirkland, J. et al.
- GOH, H.H., RATNAM, S.S. and LONDON, D.R. The feminisation of gonadotrophin responses in intact male transsexuals, 591
- GOLSTEIN, J. see Caufriez, A. et al.
- GOOREN, L.J.G., VAN DER VEEN, E.A., VAN KESSEL, H. and HARMEN-LOUMAN, W. The effect of endogenous and exogenous gonadotrophin-releasing hormone on the prolactin response to TRH, 281
- GRAY, C. see Spruce, B.A. et al.
- GRIEG, F., OBERFIELD, S.E., LEVINE, L.S., GHAVIMI, F., PANG, S. and New, M.I. Recovery of adrenal function after treatment of adrenocortical carcinoma with 0,p'-DDD, 389
- GRIFFITHS, H. see Fry, D.E. and Griffiths, H. GROSSMAN, A. see Lytras, N. et al. Gutal, J.P. see Sobel, D.O. et al.
- HALL, R. see Evans, P.J. et al.
- HALLENGREN, B. see Manhem, P. et al.
- HAMADA, N. see Momotani, N. et al.
- HANCOCK, K.W. see El Sheikh, M.A.A. et al.
- HANSSON, B.-G. see Manhem, P. et al.
- HARDISTY, C.A., FOWLES, A. and MUNRO, D.S. The effect of radioiodine and antithyroid drugs on serum long acting thyroid stimulator protector (LATS-P). A three year prospective study. 597
- HARMSEN-LOUMAN, W. see Gooren, L.J.G. et al.
- HART, D.M. see Leggate, J. et al.
- HARTOG, M. see Paisey, R. et al. HEBER, D. see Bhasin, S. et al.
- HEIMANN, R. see Demeester-Mirkine, N. et al.
- HENGSTMANN, J. see Fischer, M. et al.
- HERSCHUELZ, A. see Caufriez, A. et al.
- Ho, K.Y., SMYTHE, G.A. and LAZARUS, L. Dopaminergic control of gonadotrophin secretion in normal women and in patients with pathological hyperprolactinaemia, 53
- HOCHBERG, Z. see Davidai, G. et al.
- HOFFENBERG, R. see Franklyn, J.A. et al.
- HOPTON, M. see Paisey, R. et al.
- HOWIE, P.W. see Glasier, A. et al.
- HUGHES, I.A. see Evans, B.A.J. et al.
- IMURA, H. see Tsukada, T. et al. IRVINE, W.J. see Feek, C.M. et al.

- ISHIKUA, B., QUIGLEY, M.E. and YEN, S.S.C. Post partum hypogonadotrophinism: evidence for increased opioid inhibition 573
- ISIDORI, A. see Fraioli, F. et al.
- Ito, K. see Momotani, N. et al.
- JAMES, V.H.T. see Beranek, P.A. et al.
- JAYAWEERA, P. see Allgrove, J. et al.
- JEFFCOATE, W.J. see Davis, J.R.E. et al.
- JONES, I.R. see Jones, M.K. et al.
- JONES, T.R. see Evans, B.A.J. et al.
- JONES, M.K., EVANS, P.J., JONES, I.R. and THOMAS, J.P. Familial acromegaly, 354
- JONES, M.K. see Weeks, I. et al.
- KAHANA, L. see Davidai, G. et al.
- Kahrı, A. see Välimäki, M. et al.
- Калуама, Y. see Tajima, K. et al.
- KANG, J. see Tajima, K. et al.
- KARAMEROU, A. see Phenekos, C. et al.
- KAULI, R., PERTZELAN, A., BEN-ZEEV, Z., PRAGER LEWIN, R., KAUFMAN, H., SCHALLY, A.M.C., SCHALLY, A.V. and LARON, Z. Treatment of precocious puberty with LHRH in combination with cyproterone acetate—further experience,
- KAWAMURA, S., KISHINO, B., MIYAUCHI, A., TAKAI, S., TAJIMA, K., MASHITA, K. and TARUI, S. The differential diagnosis of cystic neck masses by the determination of thyroglobulin concentrations in the aspirates, 261
- KAWAMURA, S., KISHINO, B., TAJIMA, K., MASHITA, K. and TARUI, S. Elevated serum thyroglobulin as a manifestation of acute haemorrhage into the thyroid gland, 213
- KAWAMURA, S. see Tajima, K. et al.
- Kehlet, H., Lindholm, J. and Bjerre, P. Value of the 30 min ACTH-test in assessing hypothalamicpituitary-adrenocortical function after pituitary surgery in Cushing's disease, 349
- KENDALL-TAYLOR, P. see Prescott, R.W.G. et al., also Spruce, B.A. et al.
- KINGSWOOD, C. see Southgate, K. et al.
- KIRKLAND, J., LYE, M., GODDARD, C., VARGAS, E. and DAVIES, I. Plasma arginine vasopressin in dehydrated elderly patients, 451
- KISHINO, B. see Kawamura, S. et al.
- KNOBEL, M. see Medeiros-Neto, G.A. et al.
- Koн, T. see Tsukada, T. et al.
- KOHNER, E.M. see Sharp, P.S. et al.
- KOUTRAS, D.A. see Livadas, D.P. et al. KOZMA, L. see Balázs, Cŝ. et al.
- LAGASSER, R. see Vanderpas, J. et al.
- LARON, Z. see Kauli, R. et al.
- LASARIDIS, J. see Phenekos, C. et al.

- LAZARUS, L. see Ho, K.Y. et al.
- LEBRUN, P. see Caufriez, A. et al.
- LEGG, C. see Newnham, J.P. et al.
- Leggate, J., Farish, E., Fletcher, C.D., McIntosh, W., Hart, D.M. and Sommerville, J.M. Calcitonin and postmenopausal osteoporosis, 85
- LENTON, E.A. The effect of dydrogesterone on the mid-cycle gonadotrophin surge in regularly cycling women, 129
- LERARIO, A.C. see Waichenberg, B.L. et al.
- LEVINE, L.S. see Grieg, F. et al.
- LINDBERG, S. see Nystrom, E. et al.
- LINDHOLM, J. see Kehlet, H. et al.
- LINDOUIST, O. see Nystrom, E. et al.
- LINDQUIST, O. see Nystrom, E. et al. LINDSTEDT, G. see Nystrom, E. et al.
- LIVADAS, D.P., SOFRONIADOU, K., SOUVATZOGLOU, A., BOUKIS, M., SIAFAKA, L. and KOUTRAS, D.A. Pituitary and thyroid insufficiency in thalassaemic haemosiderosis, 435
- LJUNGHALL, S. see Muhr, C. et al.
- LLOYD, R. see Shapiro, B. et al.
- LODY, D. see Vanderpas, J. et al.
- LONDON, D.R. see Goh, H.H. et al. LUNDBERG, P.-A. see Nystrom, E. et al.
- LUNDOVIST, G. see Muhr, C. et al.
- Lye, M. see Kirkland, J. et al.
- Lytras, N., Grossman, A., Perry, L., Tomlin, S., Wass, J.A.H., Coy, D.H., Schally, A.V., Rees, L.H. and Besser, G.M. Corticotrophin releasing factor: responses in normal subjects and patients with disorders of the hypothalamus and pituitary,
- LYTRAS, N., GROSSMAN, A., REES, L.H., SCHALLY, A.V., BLOOM, S.R. and BESSER, G.M. Corticotrophin releasing factor: effects on circulating gut and pancreatic peptides in man, 725
- MACCUISH, A.C. see Cohen, H.N. et al.
- Mais, V. see Melis, G.B. et al.
- MANDERSON, W.G. see Cohen, H.N. et al.
- Mango, A. see Bellastella, A. et al.
- Manhem, P., Hallengren, B. and Hansson, B.-G. Plasma noradrenaline and blood pressure in hypothyroid patients; effect of gradual thyroxine treatment, 701
- MASHITA, K. see Kawamura, S. et al., also Tajima, K. et al.
- MATTAR, E. see Medeiros-Neto, G.A. et al.
- MAYCOCK, P.F. see Frayn, K.N. et al.
- McDonald, R.H. Jr, see Amico, J.A. et al.
- McIntosh, W. see Leggate, J. et al.
- MCLELLAND, J. see Feek, C.M. et al.
- McMullan, N.M. and Smyth, P.P.A. In vitro generation of NADPH as an index of thyroid stimulating immunoglobulins (TGI) in goitrous disease, 269

- McNeilly, A.S. see Djahanbakhch, O. et al., also Glasier, A. et al.
- MEDEIROS-NETO, G.A., KNOBEL, M., CAVALIERE, H., SIMONETTI, J. and MATTAR, E. Hereditary congenital goitre with thyroglobulin deficiency causing hypothyroidism, 631
- MELIS, G.B., FRUZZETTI, F., PAOLETTI, A.M., MAIS, V., BENEVENTI, F., TRIMARCHI, G. and FIORETTI, P. Effects of the gabaergic drug, sodium valproate, on the prolactin release evoked by pharmacological stimuli in normal women. 245
- MESSINA, V. see Barreca, T. et al.
- MIMURA, T. see Momotani, N. et al.
- MIYAUCHI, A. see Kawamura, S. et al.
- MOLLOY, B.G. see El Sheik, M.A.A. et al.
- Momotani, N., Ito, K., Hamada, N., Ban, Y., Nishikawa, Y. and Mimura, T. Maternal hyperthyroidism and congenital malformation in the offspring, 695
- MONDINO, B.J. see Sobel, D.O. et al.
- MORETTI, C. see Fraioli, F. et al.
- MORIWAKA, K. see Tajima, K. et al.
- MUHR, C., LJUNGHALL, S., ÅKERSTROM, G., PALMÉR, M., BERGSTRÖM, K., ENOKSSON, K., LUNDQVIST, G. and Wile, L. Screening for multiple endocrine neoplasia syndrome (Type 1) in patients with primary hyperparathyroidism, 153
- MUNRO, D.S. see Hardisty, C.A. et al.
- NACHURY, L. see Abou-Samra, A.B. et al.
- NAKAI, Y. see Tsukada, T. et al.
- NAKAJO, M. see Shapiro, B. et al. NAYLOR, B.A. see Ward, G.M. et al.
- NEER, R.M. see Slovik, D.M. et al.
- Nelson, G. see Vanderpas, J. et al.
- New, M.I. see Grieg, F. et al.
- NEWNHAM, J.P., DENNETT, P.M., FERRON, S.A., TOMLIN, S., LEGG, C., BOURNE, G.L. and REES, L.H. A study of the relationship between circulating β-endorphin-like immunoreactivity and post partum 'blues', 169
- NISHIKAWA, Y. see Momotani, N. et al.
- NORTIER, J.W.R., CROUGHS, R.J.M., THIJSSEN, J.H.H. and SCHWARZ, F. Plasma growth hormone suppressive effect of bromocriptine in acromegaly. Evaluation by plasma GH day profiles and plasma GH concentrations during oral glucose tolerance tests, 565
- Nyström, E., Bengtsson, C., Lindquist, O., Lindberg, S., Linstedt, G. and Lundberg, P.-A. Serum triiodothyronine and hyperthyroidism in a population sample of women. 31
- OAKEY, R.W. see El Sheikh, M.A.A. et al.
- OBERFIELD, S.E. see Grieg, F. et al.
- ODDIE, C.J. see Drury, P.L. et al.

OHNUMA, L.Y. see Wajchenberg, B.L. et al. ØKTEDALEN, O. see Opstad, P.K. et al.

OPSTAD, P.K., FALCH, D., ØKTEDALEN, O., FON-NUM, F. and WERGELAND, R. The thyroid function in young men during prolonged exercise and the effect of energy and sleep deprivation, 657

O'RIORDAN, J.L.H. see Allgrove, J. et al. Oxley, J. see Dana-Haeri, J. et al.

PADFIELD, P.L. see Feek, C.M. et al.

PAISEY, R., HOPTON, M. and HARTOG, M. Correlation between skin glycosylation and glycaemic control in human diabetes, 521

PALMÉR, M. see Muhr, C. et al.

PANG, S. see Grieg, F. et al.

PAOLETTI, A.M. see Melis, G.B. et al.

PATEL, Y.C. see Skamene, A. and Patel, Y.C.

PATERSON, K.R. see Cohen, H.N. et al.

PELKONEN, R. see Välimäki, M. et al.

PERRIA, C. see Barreca, T. et al.

PERRONE, L. see Bellastella, A. et al.

PERRY, L. see Lytras, N. et al.

PERTZELAN, A. see Kauli, R. et al.

PETERS, J.R. see Evans, P.J. et al. PETERSON, M. see Bhasin, S. et al.

PHENEKOS, C., KARAMEROU, A., PIPIS, P., CONSTAN-TOULAKIS, M., LASARIDIS, J., DETSI, S. and POLI-TOU, K. Thyroid function in patients with homo-

zygous β-thalassaemia, 445 PIPIS, P. see Phenekos, C. et al.

POLITOU, K. see Phenekos, C. et al.

PORKKA, L. see Välimäki, M. et al.

POTTS, J.T. JR, see Slovik, D.M. et al.

PRAGER LEWIN, R. see Kauli, R. et al.

PRESCOTT, R.W.G., KENDALL-TAYLOR, P., WEIGHT-MAN, D.R., WATSON, M.J. and RATCLIFFE, W.A. The effect of ketanserin, a specific serotonin antagonist, on the PRL, GH, ACTH and cortisol responses to hypoglycaemia in normal subjects,

PRICE, D.A. see Frayn, K.N. et al. PUGEAT, M. see Abou-Samra, A.B. et al.

QUERIDO, A. see De Bruin, T.W.A. et al. QUIGLEY, M.E. see Cumming, D.C. et al., also Ishikua, B. et al.

RABIN, B.S. see Sobel, D.O. et al.

RAMSDEN, D.B. see Franklyn, J.A. et al. RATCLIFFE, W.A. see Prescott, R.W.G. et al.

RATNAM, S.S. see Goh, H.H. et al.

REBAR, R.W. see Cumming, D.C. et al.

REES, L.H. see Lytras, N. et al., and Newnham, J.P.

REID, J.L. see Struthers, A.D. and REID, J.L. REID, R.L. see Cumming, D.C. et al.

RIAD-FAHMY, D. see Evans, P.J. et al.

RICHENS, A. see Dana-Haeri, J. et al.

RIVERA, M. see Vanderpas, J. et al.

ROBINSON, A.G. see Amico, J.A. et al.

ROLAND, E. see Barreca, T. et al.

RUBENS, R. Androgen levels during cyproterone acetate and ethinyl oestradiol treatment of hirsutism, 313

SAMOJLIK, E., SANTEN, R.J. and WORGUL, T.J. Suppression of residual oestrogen production with aminoglutethimide in women following surgical hypophysectomy or adrenalectomy, 43

SANTEN, R.J. see Samoilik, E. et al.

SARGENT, R.M. see Ward, G.M. et al.

SATTERLEE, W. see Shapiro, B. et al.

SCHALLY, A.M.C. see Kauli, R. et al.

SCHALLY, A.V. see Kauli, R. et al., also Lytras, N. et

SCHWARZ, F. see Nortier, J.W.R. et al.

SELBY, C. see Davis, J.R.E. et al.

SETH, J. see Feek, C.M. et al.

SHAPIRO, B., SISSON, J.C., LLOYD, R., NAKAJO, M., SATTERLEE, W. and BEIERWALTES, W.H. Malignant phaeochromocytoma: clinical, biochemical and scintigraphic characterization, 189

SHARP, P.S., FOLEY, K., CHAHAL, P. and KOHNER, E.M. The effect of plasma glucose on the growth hormone response to human pancreatic growth hormone releasing factor in normal subjects, 497

SHEPPARD, M.C. see Franklyn, J.A. et al.

SIAFAKA, L. see Livadas, D.P. et al.

SIANI, C. see Barreca, T. et al.

SIDDLE, K. see Weeks, I. et al.

SIMONETTI, J. see Medeiros-Neto, G.A. et al.

SINISI, A.A. see Bellastella, A. et al.

SISSON, J.C. see Shapiro, B. et al.

SIVULA, A. see Välimäki, M. et al.

SKAMENE, A. and PATEL, Y.C. Infusion of graded concentrations of somatostatin in man: pharmacokinetics and differential inhibitory effects on pituitary and islet hormones, 555

SLOVIK, D.M., DALEY, M.A., POTTS, J.T., JR and NEER, R.M. Renal 1,25 dihydroxyvitamin D, phosphaturic, and cyclic-AMP responses to intravenous synthetic human parathyroid hormone-(1-34) administration in normal subjects,

SMITH, B.R. see Southgate, K. et al.

SMYTH, P.P.A. see McMullan, N.M. and Smyth, P.P.A.

SMYTHE, G.A. see Ho, K.Y. et al.

SOBEL, D.O., GUTAI, J.P., RABIN, B.S., MONDINO, B.J. and FIREMAN, P. Pituitary cellular hypersensitivity in idiopathic hirsutism, 341

SOFRONIADOU, K. see Livadas, D.P. et al.

SOMMERVILLE, J.M. see Leggate, J. et al.

SOUTHGATE, K., CREAGH, F., TEECE, M., KINGS-WOOD, C. and SMITH, B.R. A receptor assay for the measurement of TSH receptor antibodies in unextracted serum, 539

SOUVATZOGLOU, A. see Livadas, D.P. et al.

SPRUCE, B.A., KENDALL-TAYLOR, P., DUNLOP, W., ANDERSON, A.J., WATSON, M.J., COOK, D.B. and GRAY, C. The effect of bromocriptine in the polycystic ovary syndrome, 481

STEINER, B. see Bhasin, S. et al.

STENSZKY, V. see Balázs, Cŝ. et al.

STRUTHERS, A.D. and REID, J.L. Adrenaline causes hypokalaemia in man by β2 adres. ceptor stimulation, 409

STUDER, H. see Gebel, F. and Studer, H.

STURGESS, M. see Weeks, I. et al.

SWANSTON, I.A. see Djahanbakhch, O. et al.

SWERDLOFF, R.S. see Bhasin, S. et al.

TAJIMA, K., MASHITA, K., YAMANE, T., YOSHIKAWA, H., KAWAMURA, S., KANG, J., KAJIYAMA, Y., MORIWAKI, K. and TARUI, S. Thyrotoxic myopathy associated with subacute thyroiditis, 307

TAJIMA, K. see Kawamura, S. et al.

TAKAI, S. see Kawamura, S. et al.

TARUI, S. see Kawamura, S. et al., also Tajima, K. et al.

THUSSEN, J.H.H. see Nortier, J.W.R. et al.

THILLY, C.H. see Vanderpas, J. et al.

THOMAS, J.P. see Jones, M.K. et al.

TEECE, M. see Southgate, K. et al.

TOBLER, P.H., TSCHOPP, F.A., DAMBACHER, M.A. and FISCHER, J.A. Salmon and human calcitoninlike peptides in man, 253

TOFT, A.D. see Feek, C.M. et al.

TOLEDO E SOUZA, I.T. see Wajchenberg, B.L. et al. TOLMIN, S. see Lytras, N. et al., also Newnham, J.P. et al.

TOURNIAIRE, J. see Abou-Samra, A.B. et al. TRIMARCHI, G. see Melis, G.B. et al.

TRIMARCHI, G. see Melis, G.B. et al.

TSCHOPP, F.A. see Tobler, P.H. et al.

Тsuлi, S. see Tsukada, T. et al.

TSUKADA, T., NAKAI, Y., KOH, T., TSUJII, S. and IMURA, H. Plasma disappearance of ovine corticotrophin-releasing factor in man, 111

TURNER, R.C. see Ward, G.M. et al.

UNDERWOOD, L.H. see Craft, W.H. and Underwood, L.E.

VÄLIMÄKI, M., PELKONEN, R., PORKKA, L., SIVULA, A. and KAHRI, A. Long-term results of adrenal surgery in patients with Cushing's syndrome due to adrenocortical adenoma, 229

Van Der Heide, D. see De Bruin, T.W.A. et al.
Vanderpas, J., Bourdoux, P., Lagasse, R.,
Rivera, M., Dramaix, M., Lody, D., Nelson,
G., Delange, F., Ermans, A.M. and Thilly,

C.H. Endemic infantile hypothyroidism in a severe endemic goitre area of central Africa, 327 VAN DER VEEN, E.A. see Gooren, L.J. et al.

VAN KESSEL, H. see Gooren, L.J.G. et al.

Van Sande, J. see Demeester-Mirkine, N. et al.

VARGAS, E. see Kirkland, J. et al.

VETTER, W. see Fischer, M. et al.

WAJCHENBERG, B.L., LERARIO, A.C., EL-ANDERE, W., OHNUMA, L.Y. and TOLEDO E SOUZA, I.T. Human erythrocyte insulin receptors in normal male and female subjects, 23

WALKER, R.F. see Evans, P.J. et al.

WALLACE, A.M. see Cohen, H.N. et al.

WARD, G.M., NAYLOR, B.A., SARGENT, R.M. and TURNER, R.C. Abnormal dietary regulation of erythrocyte insulin receptor affinity in non-insulin-dependent diabetes mellitus, 671

WARNER, P. see Djahanbakhch, O. et al.

WASS, J.A.H. see Lytras, N. et al.

WATSON, M.J. see Prescott, R.W.G. et al., also Spruce, B.A. et al.

Weeks, I., Sturgess, M., Siddle, K., Jones, M.K. and Woodhead, J.S. A high sensitivity immunochemiluminometric assay for human thyrotrophin, 489

WEIGHTMAN, D.R. see Prescott, R.W.G. et al.

WERGELAND, R. see Opstad, P.K. et al.

WIDE, L. see Muhr, C. et al.

WILKINSON, R. see Franklyn, J.A. et al.

WINTERBERG, B. see Fischer, M. et al.

WOODHEAD, J.S. see Weeks, I. et al.

WORGUL, T.J. see Samojlik, E. et al.

YAMANE, T. see Tajima, K. et al. YEN, S.S.C. see Cumming, D.C. et al., also Ishikua, B. et al.

YOSHIKAWA, H. see Tajima, K. et al.

ZIDEK, W. see Fischer, M. et al.

Subject Index to Volume 19

Acromegaly

effect of bromocriptine in, 565

familial, 354

Adrenal function

recovery after carcinoma, 389

Adrenal surgery

long term results of, 229

Adrenalectomy

oestrogen and aminoglutethimide after, 43

Adrenaline

and β 2 adrenoceptor stimulation, 409

Adrenarche

in diabetes mellitus, 717

β2 Adrenoceptor stimulation

and hypokalaemia, 409

Adrenocortical adenoma, results of adrenal surgery in, 229

Adrenocortical carcinoma.

treatment with o.p'-DDD, 389

Adrenocortical unresponsiveness glomerulosa failure in, 515

Africa

infantile hypothyroidism in, 327

Amenorrhoea

cycle initiation in, 9

Aminoglutethimide

suppression of oestrogen by, 43

Androgen receptors

in dispersed fibroblasts, 93

Androgens

and somatomedin-C/insulin-like growth factor I, 549

Androstenedione

and preovulatory surge of LH, 463

Antithyroid drugs

effects on LATS-P, 597

Anti-thyrotrophin receptor antibodies,

assay of, 143

Aromatase

in breast fat, 205

Blood pressure,

and noradrenaline in hypothyroidism, 701

Breast tumour

17β-hydroxysteroid dehydrogenase and aroma-

tase, 205

Bromocriptine

GH suppressive effect in acromegaly, 565

Calcitonin

and osteoporosis, 85

Carbamazepine

and pituitary responsiveness, 163

Cerebrospinal fluid,

changes in prolactin in, 649

Circannual rhythms

in prepuberty, 531

Congenital malformation

and maternal hyperthyroidism, 695

Corticotrophin

effect of ketanserin on, 137

glomerulosa failure in adrenal unresponsiveness,

Corticotrophin releasing factor,

and peptides, 725

in hypothalamus and pituitary disorders, 71

Cortisol

etomidate inhibition of 11β-hydroxylation, 625

increase in pregnancy, 221

Cushing's disease

30 min ACTH test, 349

Cushing's syndrome

results of adrenal surgery, 229

Cyclic AMP

absence of iodide effect, 473

response to synthetic human parathyroid hor-

mone-(1-34), 369

Cyproterone acetate

and LHRH analogue in precocious puberty, 377

treatment of hirsutism, 313

Cystic neck mass

diagnosis by thyroglobulin, 261

Dehydration

and plasma arginine vasopressin, 451

Diabetes

adrenarche and gonadarche in, 717

erythrocyte insulin receptor affinity, 671

plasma renin in, 606

Diurnal changes

of prolactin in cerebrospinal fluids, 649

Dopamine

control of gonadotrophin, 53

influence on LH in PCO, 643

Dydrogesterone

effect on gonadotrophin, 129

β-Endorphin-like immunoreactivity and post partum 'blues', 169

Energy deprivation

thyroid in, 657

745

Erythrocytes

insulin receptors on, 23, 671

Ethinyl oestradiol

treatment of hirsutism, 313

Etomidate

inhibition of 11β-hydroxylation, 625

Exercise

and thyroid in energy and sleep deprivation, 657

External irradiation

for pituitary GH-secreting tumours, 401

Familial acromegaly, 354

Feminisation

of gonadotrophin in transsexuals, 591

Fibroblasts

androgen receptor in, 93

Follicle stimulating hormone and preovulatory LH, 463

Glomerulosa failure

in adrenal unresponsiveness, 515

Glucose

effect on GH response, 497

Glycaemic control

and skin glycosylation, 521

Glycosylation of skin in di

of skin in diabetes, 521

Goitre

hereditary, 631

Gonadarche

in diabetes mellitus, 715

Gonadotrophin

dopaminergic control of, 53

dydrogesterone effect on, 129

effect on pulsatile release of, 9

response in transsexuals, 591

testosterone enhances suppression of, 119

Gonadotrophin releasing hormone

and prolactin, 281

pituitary responsiveness to, 163

Graves' disease

anti-thyrotrophin receptor antibodies in, 143 specific suppressor T cell function, 683

Growth hormone

circannual rhythms of, 531

effect of ketanserin on, 137

irradiation of tumours secreting, 401

Gut peptides

effect of CRF on, 725

Haemorrhage

into thyroid gland, 213

High sensitivity assay

for human thyrotrophin, 489

Hirsutism

androgen levels in treatment, 313

Human calcitonin-like peptides

in man, 253

11β-Hydroxylation

inhibition by etomidate, 625

 17β -hydroxysteroid dehydrogenase

in breast fat, 205

Hypercortisolism

salivary cortisol in, 709

Hyperparathyroidism

multiple endocrine neoplasia syndrome (Type 1) in, 153

Hyperprolactinaemia

gonadotrophin secretion in, 53

Hyperthyroidism

and congenital malformation, 695

and triiodothyronine in women, 31

Hypoglycaemia

effect of ketanserin in, 137

Hypogonadotrophinism

opioid inhibition post partum, 573

Hypokalaemia

caused by adrenaline $\beta 2$ adrenoceptor stimulation, 409

Hypophysectomy

suppression of oestrogen with aminoglutethimide

after, 43 Hypothalamus disorders

corticotrophin releasing factor in, 71

Hypothalamic-pituitary-adrenocortical function, assessed by 30 min ACTH-test, 349

Hyperthyroidism

and hereditary goitre, 631

Hypothyroidism

infantile in central Africa, 327

thyroxine in, 107

Idiopathic hypopituitarism

pituitary cellular hypersensitivity in, 341

Immunochemiluminometric assay

for thyrotrophin, 489

Immunoprecipitation assay of anti-thyrotrophin receptor antibodies, 143

Infantile hypothyroidism

in central Africa, 327

Injury

somatomedin after, 179

Insulin

in fasting obese patients, 65

receptors on human erythrocytes, 23, 671

Iodide organification defect

absence of effect on cyclic AMP, 473

Ketanserin

and PRL, GH, ACTH and cortisol in hypoglycaemia, 137 β-Lipotrophin

in pregnancy, 221

Long acting thyroid stimulator protector radiodine and antithyroid drugs and, 597

Luteinising hormone

and endogenous opioids, 299

effect of dopamine andopioids on in PCO, 643 and ovarian activity post partum, 415

pulsatile release, 579

Luteinising hormone releasing hormone analogue with cyproterone acetate in precocious puberty, 377

Lymphatic vessels

and thyroglobulin from malignant folicles, 457

Malignant phaeochromocytoma characterization of, 189

Maternal hyperthyroidism

and congenital malformation, 695

Multiple endocrine neoplasia syndrome (Type 1) in hyperparathyroidism, 153

Myopathy

and thyroiditis, 307

Neurophysins

in essential hypertension, 289

Noradrenaline

and blood pressure in hypothyroidism, 701

Obesity

somatomedin-C, insulin and T3 in, 65

Oestradiol

and preovulatory surge of LH, 463

pulsatile release, 579

Oestrogen

effect of gonadotrophin release, 9 suppression by aminoglutethimide, 43

Opioids

influence on LH in PCO, 643

Opioid inhibitory tone

lack of on LH secretion, 299

Oral contraceptives

and serum prolactin, 427

Osteoporosis

calcitonin and, 85

Ovine corticotrophin-releasing factor disappearance in man, 111

Oxytocin-associated neurophysins in essential hypertension, 289

Pancreatic peptides effect of CRF on, 725

Parathyroid hormone,

in pseudohypoparathyroidism, 503

Peptides

effect of CRF on, 725

Phaeochromocytoma,

characterization of, 189

scintigaraphic localization of, 1

Phenytoin

and pituitary responsiveness, 163

Pituitary

and carbamazepine or phenytoin, 163

cellular hypersensitivity in idiopathic hirsutism,

341

disorders and corticotrophin releasing factor, 71 insufficiency in thalassaemic haemosiderosis, 435 surgery and hypothalamic-pituitary-adrenocorti-

cal function, 349

tumours irradiated, 401
Plasma arginine vasopressin

and dehydration in the elderly, 451

Plasma renin

in Type 1 diabetes, 606

Polycystic ovary syndrome

effects on LH secretion in, 643

Post partum 'blues'

β-endorphin-like immunoreactivity, 169

Post partum hypogonadotrophinism

opioid inhibition, 573

Precocious puberty treatment, 377

Pregnancy

 β -lipotrophin and cortisol increase in, 221

Progesterone

effect on gonadotrophin release, 9

and preovulatory surge of LH, 463

Prolactin

diurnal changes in cerebrospinal fluid, 649

effect of gonadotrophin releasing hormone on,

281

and preovulatory surge of LH, 463

and oral contraceptives, 427

effect of ketanserin on, 137

effect of sodium valproate on, 245

Pseudohypoparathyroidism

and parathyroid hormone, 503

Radioiodine

effect on LATS-P, 597

Renal 1,25-dihydroxyvitamin D

and synthetic human parathyroid hormone-

(1-34), 369

Salivary cortisol

in hypercortisolism, 709

Salmon calcitonin-like peptides

in man, 253

Scintigraphic localization

of phaeochromocytomas, 1

Skin glycosylation

in diabetes, 521

- Sleep deprivation
- thyroid in, 657
- Sodium valproate and prolactin release, 245
- Somatomedin
 - activity after injury, 179
- Somatomedin-C
 - in fasting obese patients, 65
- Somatomedin-C/insulin-like growth factor I
- response to growth hormone, 549 Suppressor T cell function
- in Graves' disease, 683 Synthetic human parathyroid hormone-(1-34) response to, 369
- Testosterone
- enhances suppression of gonadotrophin, 119
- B-Thalassaemia
- and thyroid function, 445
- Thalassaemic haemosiderosis,
- pituitary and thyroid insufficiency, 435
- Thyroglobulin
- and cystic neck masses, 261
- elevated after haemorrhage, 213
- released by malignant follicles, 457
- Thyroid
- effect of energy and sleep deprivation, 657 and homozygous β-thalassaemia, 445
- haemorrhage and thyroglobulin, 213
- circannual rhythms of hormones, 531
- insufficiency in thalassaemic haemosiderosis, 435

- NADPH as index of immunoglobulins, 269
- Thyroiditis
 - and thyrotoxic myopathy, 307
- Thyrotoxic myopathy
- and thyroiditis, 307
- Thyrotrophin
 - circannual rhythms of, 531
 - high sensitivity assay for, 489
 - measurement of receptor antibodies, 539
- Thyrotrophin releasing hormone
 - effect on prolactin response to, 281 pituitary responsiveness to, 163
- Thyroxine
 - and noradrenaline and blood pressure, 701
 - and radioiodine therapy, 527
- Transsexuals
 - feminisation of gonadotrophin response, 591
- Triiodothyronine
 - in fasting obese patients, 65
- and hyperthyroidism in women, 31
- and radioiodine therapy, 527
- in thyrotoxicosis and hypothyroidism, 107
- Thyrotoxicosis
- triiodothyronine in, 107
- Thyroxine
- in thyrotoxicosis and hypothyroidism, 107
- Type 1 diabetes
- plasma renin activity, 606
- Vasopressin-associated neurophysins in essential hypertension, 289

